

อ่าวทับละมุ (พังงา)
Ao Thap Lamu (Phangnga)

ละติจูด (Lat) 08° 34' 32" น.(N)

ลองจิจูด (Long) 98° 13' 19" อ.(E)

พ.ศ.๒๕๖๙

YEAR 2026

มกราคม JANUARY						กุมภาพันธ์ FEBRUARY						มีนาคม MARCH							
เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)		
TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)		
1 TH	0226	1.15	16 FR	0315	1.23	1 SU	0413	0.78	16 MO	0405	0.93	1 SU	0319	0.93	16 MO	0301	1.11		
	0827	2.49			1023		2.70			1011	2.58			0911		2.48			
	1426	1.15			1619		0.94			1605	1.06			1503		1.24			
	2059	2.97			2235		3.16			2219	2.98			2115		2.79			
2 FR	0322	0.96	17 SA	0351	1.10	2 MO	0453	0.66	17 TU	0434	0.80	2 MO	0359	0.75	17 TU	0330	0.93		
	0930	2.61			1102		2.83			1043	2.75			1008		2.79		0941	2.72
	1526	1.05			1701		0.86			1640	0.95			1609		0.92		1539	1.07
	2153	3.11			2313		3.24			2251	3.09			2218		3.12		2149	2.97
3 SA	0413	0.82	18 SU	0423	0.99	3 TU	0531	0.60	18 WE	0504	0.71	3 TU	0433	0.65	18 WE	0400	0.78		
	1023	2.72			1138		2.92			1115	2.90			1042		2.94		1014	2.94
	1618	0.97			1739		0.84			1715	0.88			1646		0.83		1615	0.92
	2240	3.21			2346		3.24			2324	3.15			2251		3.18		2224	3.09
4 SU	0459	0.73	19 MO	0455	0.91	4 WE	0606	0.62	19 TH	0535	0.65	4 WE	0506	0.62	19 TH	0430	0.67		
	1109	2.79			1211		2.96			1147	3.01			1114		3.04		1047	3.11
	1704	0.93			1815		0.87			1748	0.85			1720		0.80		1652	0.82
	2322	3.25								2355	3.14			2322		3.17		2258	3.15
5 MO	0543	0.70	20 TU	0525	0.85	5 TH	0017	3.17	20 FR	0605	0.65	5 TH	0536	0.65	20 FR	0503	0.62		
	1151	2.82			0637		0.70			1219	3.07			1142		3.09		1121	3.23
	1748	0.94			1242		2.96			1822	0.86			1751		0.82		1729	0.76
					1846		0.95							2350		3.10		2331	3.14
6 TU	0000	3.23	21 WE	0556	0.81	6 FR	0046	3.04	21 SA	0026	3.07	6 FR	0602	0.73	21 SA	0537	0.64		
	0624	0.73			0704		0.83			0634	0.70			1209		3.09		1154	3.26
	1230	2.82			1310		2.92			1251	3.07			1818		0.88		1804	0.77
	1829	1.01			1915		1.06			1854	0.92								
7 WE	0038	3.15	22 TH	0011	3.09	7 SA	0115	2.87	22 SU	0057	2.94	7 SA	0016	2.99	22 SU	0005	3.05		
	0703	0.81			0727		0.98			0703	0.81			0625		0.84		0609	0.72
	1308	2.79			1338		2.83			1324	3.00			1234		3.04		1227	3.21
	1907	1.11			1941		1.19			1928	1.03			1843		0.96		1839	0.85
8 TH	0113	3.02	23 FR	0043	3.03	8 SU	0142	2.67	23 MO	0130	2.75	8 SU	0041	2.85	23 MO	0038	2.90		
	0740	0.94			0745		1.13			0733	0.96			0644		0.96		0641	0.86
	1344	2.73			1406		2.71			1400	2.85			1259		2.95		1301	3.08
	1944	1.25			2008		1.33			2006	1.18			1905		1.07		1915	0.99
9 FR	0147	2.84	24 SA	0115	2.93	9 MO	0209	2.45	24 TU	0206	2.52	9 MO	0105	2.68	24 TU	0112	2.69		
	0813	1.10			0806		1.28			0807	1.15			0701		1.09		0713	1.05
	1420	2.66			1437		2.55			1443	2.65			1324		2.81		1339	2.88
	2020	1.39			2044		1.48			2059	1.38			1929		1.21		1956	1.18
10 SA	0222	2.63	25 SU	0149	2.78	10 TU	0239	2.22	25 WE	0256	2.25	10 TU	0129	2.48	25 WE	0152	2.43		
	0844	1.25			0835		1.45			0856	1.37			0721		1.24		0749	1.27
	1459	2.57			1516		2.36			1549	2.43			1350		2.62		1425	2.64
	2103	1.52			2150		1.64			2258	1.52			1958		1.37		2056	1.40
11 SU	0300	2.42	26 MO	0231	2.58	11 WE	0329	2.00	26 TH	0436	2.02	11 WE	0153	2.26	26 TH	0248	2.17		
	0917	1.40			0931		1.61			1103	1.54			0745		1.41		0845	1.50
	1544	2.47			1645		2.19			1754	2.32			1421		2.41		1535	2.42
	2208	1.63												2043		1.57		2258	1.52
12 MO	0351	2.22	27 TU	0328	2.36	12 TH	0101	1.65	27 FR	0109	1.42	12 TH	0224	2.03	27 FR	0455	2.00		
	1010	1.52			0631		1.89			0730	2.07			0824		1.59		1108	1.64
	1653	2.38			1221		1.67			1313	1.47			1513		2.20		1746	2.34
	2349	1.66			1923		2.23			1959	2.50			2332		1.70			
13 TU	0527	2.08	28 WE	0500	2.16	13 FR	0220	1.46	28 SA	0230	1.17	13 FR	0547	1.83	28 SA	0100	1.39		
	1133	1.60			0831		2.04			0845	2.32			1110		1.74		0730	2.17
	1827	2.37			1405		1.53			1434	1.27			1834		2.14		1310	1.52
					2037		2.43			2059	2.76							1939	2.52
14 WE	0133	1.55	29 TH	0106	1.41	14 SA	0303	1.27				14 SA	0150	1.52	29 SU	0208	1.17		
	0708	2.09			0910		2.22						0815	2.02			0825	2.44	
	1308	1.56			1454		1.35						1333	1.61			1419	1.32	
	1945	2.46			2115		2.63						2004	2.35			2033	2.75	
15 TH	0231	1.39	30 FR	0228	1.19	15 SU	0336	1.09				15 SU	0232	1.31	30 MO	0251	0.98		
	0824	2.19			0940		2.41						0844	2.24			0904	2.69	
	1419	1.45			1531		1.19						1426	1.42			1507	1.13	
	2045	2.59			2147		2.82						2043	2.58			2115	2.93	
			31 SA	0326	0.96									31 TU	0328	0.84			
				0938	2.52											0939	2.90		
				1530	1.07											1545	1.00		
				2154	3.01											2150	3.03		

สูงของน้ำทำนายเป็นเมตรเหนือระดับน้ำลงต่ำที่สุด

HEIGHTS OF WATER PREDICTED IN METERS ABOVE THE LOWEST LOW WATER

คำนวณโดย กรมอุตุนิยมวิทยา กองทัพเรือ

อ่าวทับละมุ (พังงา)

Ao Thap Lamu (Phangnga)

ละติจูด (Lat) 08° 34' 32" น.(N)

ลองจิจูด (Long) 98° 13' 19" อ.(E)

พ.ศ.๒๕๖๘

YEAR 2026

เมษายน APRIL						พฤษภาคม MAY						มิถุนายน JUNE					
เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)
TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)
1	0400	0.78	16	0315	0.85	1	0353	1.01	16	0318	0.90	1	0423	1.20	16	0442	1.02
WE	1012	3.04	TH	0938	3.10	FR	1007	3.13	SA	0946	3.30	MO	1041	3.07	TU	1106	3.34
	1621	0.91		1545	0.95		1625	1.03		1603	0.91		1703	1.14		1729	0.88
	2223	3.06		2151	3.05		2220	2.88		2206	2.99		2255	2.72		2332	2.88
2	0431	0.77	17	0352	0.75	2	0422	1.03	17	0404	0.88	2	0452	1.21	17	0530	1.05
TH	1041	3.13	FR	1015	3.27	SA	1035	3.15	SU	1030	3.36	TU	1112	3.07	WE	1152	3.33
	1654	0.88		1626	0.83		1655	1.02		1649	0.85		1732	1.15		1816	0.89
	2252	3.03		2230	3.10		2248	2.85		2249	2.98		2325	2.69			
3	0500	0.81	18	0430	0.71	3	0448	1.06	18	0450	0.90	3	0523	1.23	18	0018	2.84
FR	1108	3.16	SA	1052	3.35	SU	1102	3.13	MO	1113	3.36	WE	1144	3.04	TH	0618	1.13
	1723	0.89		1706	0.77		1721	1.04		1734	0.85		1802	1.18		1235	3.27
	2319	2.98		2308	3.08		2315	2.80		2333	2.91		2356	2.65		1902	0.96
4	0524	0.88	19	0509	0.75	4	0513	1.10	19	0535	0.98	4	0555	1.28	19	0104	2.79
SA	1134	3.15	SU	1130	3.35	MO	1130	3.09	TU	1156	3.29	TH	1215	3.00	FR	0705	1.25
	1748	0.92		1746	0.78		1746	1.08		1820	0.92		1835	1.23		1318	3.16
	2344	2.90		2345	2.99		2341	2.74								1949	1.07
5	0545	0.96	20	0547	0.85	5	0537	1.15	20	0018	2.79	5	0030	2.59	20	0151	2.72
SU	1159	3.09	MO	1207	3.27	TU	1158	3.02	WE	0621	1.11	FR	0630	1.36	SA	0753	1.38
	1812	0.98		1827	0.87		1813	1.14		1240	3.18		1248	2.94		1400	3.01
										1908	1.04		1911	1.28		2035	1.21
6	0008	2.80	21	0023	2.83	6	0007	2.65	21	0106	2.65	6	0108	2.53	21	0239	2.65
MO	0605	1.04	TU	0627	1.00	WE	0604	1.23	TH	0708	1.27	SA	0708	1.45	SU	0843	1.52
	1224	3.00		1246	3.12		1227	2.93		1327	3.02		1325	2.86		1445	2.83
	1834	1.07		1910	1.03		1843	1.23		2000	1.18		1951	1.34		2123	1.34
7	0032	2.67	22	0103	2.63	7	0036	2.53	22	0200	2.51	7	0154	2.49	22	0332	2.60
TU	0627	1.15	WE	0707	1.19	TH	0634	1.34	FR	0800	1.45	SU	0753	1.55	MO	0941	1.64
	1250	2.87		1330	2.92		1258	2.81		1417	2.85		1407	2.77		1533	2.64
	1900	1.19		1959	1.22		1918	1.35		2101	1.32		2039	1.38		2215	1.46
8	0057	2.50	23	0152	2.40	8	0109	2.40	23	0304	2.41	8	0254	2.48	23	0435	2.58
WE	0651	1.27	TH	0754	1.40	FR	0711	1.47	SA	0905	1.60	MO	0850	1.64	TU	1050	1.70
	1317	2.71		1421	2.71		1334	2.68		1515	2.69		1501	2.67		1636	2.48
	1930	1.35		2106	1.39		2005	1.46		2213	1.40		2138	1.41		2313	1.54
9	0124	2.32	24	0302	2.21	9	0154	2.26	24	0427	2.39	9	0407	2.51	24	0543	2.60
TH	0718	1.43	FR	0903	1.60	SA	0800	1.61	SU	1029	1.68	TU	1008	1.68	WE	1207	1.70
	1350	2.52		1531	2.52		1422	2.55		1627	2.57		1611	2.58		1755	2.39
	2016	1.53		2247	1.47		2111	1.55		2323	1.42		2252	1.40			
10	0159	2.12	25	0507	2.16	10	0315	2.18	25	0548	2.48	10	0526	2.62	25	0015	1.57
FR	0801	1.61	SA	1100	1.68	SU	0915	1.73	MO	1151	1.66	WE	1140	1.62	TH	0645	2.65
	1438	2.34		1715	2.46		1537	2.45		1749	2.53		1734	2.55		1322	1.62
	2149	1.67					2250	1.54								1907	2.39
11	0327	1.94	26	0020	1.39	11	0521	2.25	26	0024	1.40	11	0003	1.34	26	0117	1.54
SA	0940	1.76	SU	0650	2.33	MO	1111	1.74	TU	0649	2.62	TH	0637	2.77	FR	0744	2.73
	1638	2.23		1239	1.59		1716	2.45		1302	1.57		1253	1.48		1419	1.50
				1852	2.55					1859	2.55		1854	2.60		2010	2.44
12	0031	1.58	27	0123	1.25	12	0006	1.42	27	0115	1.35	12	0104	1.25	27	0212	1.47
SU	0706	2.07	MO	0745	2.56	TU	0639	2.47	WE	0739	2.76	FR	0739	2.94	SA	0834	2.81
	1226	1.71		1346	1.43		1233	1.60		1359	1.45		1358	1.31		1506	1.39
	1850	2.35		1952	2.68		1839	2.55		1954	2.60		2000	2.69		2100	2.51
13	0128	1.39	28	0208	1.13	13	0100	1.26	28	0201	1.31	13	0201	1.15	28	0257	1.39
MO	0751	2.32	TU	0827	2.78	WE	0731	2.72	TH	0822	2.89	SA	0835	3.09	SU	0918	2.90
	1334	1.53		1435	1.28		1333	1.41		1445	1.34		1457	1.15		1545	1.29
	1947	2.55		2038	2.79		1941	2.70		2040	2.65		2100	2.78		2140	2.59
14	0204	1.19	29	0245	1.05	14	0146	1.11	29	0242	1.27	14	0257	1.08	29	0335	1.31
TU	0826	2.60	WE	0903	2.95	TH	0817	2.96	FR	0901	2.98	SU	0929	3.22	MO	0957	2.97
	1421	1.32		1515	1.15		1427	1.21		1525	1.25		1550	1.01		1620	1.22
	2031	2.76		2116	2.86		2032	2.84		2119	2.69		2154	2.84		2215	2.64
15	0239	1.00	30	0320	1.01	15	0232	0.98	30	0319	1.23	15	0351	1.03	30	0410	1.26
WE	0901	2.87	TH	0936	3.06	FR	0902	3.16	SA	0936	3.03	MO	1018	3.30	TU	1031	3.03
	1503	1.13		1552	1.07		1516	1.04		1601	1.18		1641	0.91		1653	1.17
	2112	2.93		2150	2.88		2120	2.94		2154	2.72		2245	2.88		2248	2.68
									31	0352	1.21						
									SU	1010	3.06						
										1633	1.15						
										2225	2.73						

สูงของน้ำทำนายเป็นเมตรเหนือระดับน้ำลงต่ำที่สุด

HEIGHTS OF WATER PREDICTED IN METERS ABOVE THE LOWEST LOW WATER

คำนวณโดย กรมอุตุนิยมวิทยา กองทัพเรือ

อ่าวทับละมุ (พังงา)

Ao Thap Lamu (Phangnga)

ละติจูด (Lat) 08° 34' 32" น.(N)

ลองจิจูด (Long) 98° 13' 19" อ.(E)

พ.ศ.๒๕๖๘

YEAR 2026

กรกฎาคม JULY						สิงหาคม AUGUST						กันยายน SEPTEMBER					
เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)	เวลา		สูง (ม.)
TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)	TIME		HT (m)
1	0443	1.23	16	0525	1.03	1	0538	1.16	16	0020	3.15	1	0022	3.18	16	0039	3.08
WE	1105	3.08	TH	1144	3.39	SA	1156	3.19	SU	0627	1.05	TU	0624	1.07	WE	0648	1.20
	1724	1.14		1805	0.81		1806	0.99		1230	3.23		1232	3.07		1251	2.82
	2322	2.71								1846	0.94		1833	0.99		1845	1.26
2	0515	1.23	17	0010	2.98	2	0016	2.96	17	0050	3.10	2	0053	3.11	17	0105	2.92
TH	1138	3.10	FR	0610	1.06	SU	0611	1.17	MO	0659	1.16	WE	0658	1.16	TH	0714	1.34
	1755	1.13		1222	3.35		1225	3.16		1300	3.07		1304	2.91		1317	2.63
	2356	2.73		1845	0.86		1834	1.00		1912	1.10		1903	1.12		1906	1.40
3	0549	1.26	18	0048	2.98	3	0047	2.98	18	0119	3.01	3	0128	2.98	18	0134	2.73
FR	1209	3.10	SA	0651	1.15	MO	0644	1.22	TU	0728	1.29	TH	0734	1.30	FR	0745	1.51
	1826	1.13		1259	3.25		1255	3.08		1329	2.87		1339	2.71		1345	2.42
				1922	0.97		1903	1.04		1932	1.26		1936	1.28		1933	1.57
4	0030	2.74	19	0125	2.94	4	0119	2.97	19	0149	2.87	4	0210	2.80	19	0209	2.51
SA	0623	1.30	SU	0730	1.27	TU	0718	1.28	WE	0757	1.43	FR	0824	1.48	SA	0836	1.70
	1241	3.07		1333	3.08		1327	2.96		1357	2.66		1423	2.47		1419	2.19
	1858	1.14		1956	1.12		1933	1.12		1953	1.42		2021	1.48		2022	1.76
5	0104	2.75	20	0201	2.87	5	0156	2.91	20	0221	2.70	5	0312	2.59	20	0315	2.30
SU	0700	1.36	MO	0808	1.40	WE	0758	1.37	TH	0832	1.59	SA	0958	1.64	SU	1110	1.82
	1313	3.01		1407	2.88		1402	2.79		1429	2.43		1540	2.23		1730	2.02
	1930	1.17		2027	1.29		2008	1.24		2022	1.58		2205	1.66		2344	1.86
6	0143	2.75	21	0238	2.77	6	0240	2.81	21	0304	2.51	6	0502	2.47	21	0626	2.29
MO	0739	1.42	TU	0846	1.54	TH	0847	1.50	FR	0932	1.74	SU	1209	1.61	MO	1320	1.67
	1348	2.91		1443	2.66		1448	2.59		1515	2.21		1825	2.19		1955	2.20
	2006	1.22		2058	1.46		2055	1.39		2120	1.75						
7	0226	2.74	22	0320	2.66	7	0341	2.67	22	0432	2.34	7	0029	1.62	22	0124	1.70
TU	0825	1.50	WE	0937	1.67	FR	1011	1.62	SA	1207	1.80	MO	0708	2.60	TU	0745	2.48
	1431	2.79		1525	2.45		1558	2.37		1752	2.07		1343	1.39		1407	1.47
	2049	1.29		2140	1.60		2222	1.54					2005	2.43		2025	2.41
8	0319	2.72	23	0418	2.54	8	0516	2.58	23	0017	1.79	8	0153	1.42	23	0209	1.51
WE	0924	1.58	TH	1053	1.76	SA	1208	1.61	SU	0657	2.38	TU	0819	2.86	WE	0823	2.68
	1525	2.63		1631	2.27		1800	2.27		1350	1.65		1441	1.14		1439	1.29
	2146	1.37		2258	1.70					2011	2.20		2056	2.71		2051	2.63
9	0427	2.69	24	0547	2.48	9	0023	1.54	24	0146	1.64	9	0248	1.21	24	0243	1.34
TH	1051	1.62	FR	1245	1.74	SU	0703	2.66	MO	0816	2.56	WE	0908	3.09	TH	0854	2.87
	1640	2.49		1824	2.20		1342	1.44		1440	1.46		1524	0.94		1506	1.13
	2311	1.43					1954	2.39		2051	2.38		2136	2.94		2118	2.85
10	0550	2.71	25	0040	1.70	10	0147	1.40	25	0233	1.47	10	0333	1.04	25	0315	1.19
FR	1223	1.55	SA	0713	2.53	MO	0826	2.86	TU	0856	2.75	TH	0948	3.25	FR	0926	3.02
	1817	2.44		1403	1.61		1450	1.21		1515	1.29		1602	0.81		1533	1.00
				1959	2.27		2104	2.60		2121	2.56		2213	3.12		2147	3.05
11	0035	1.41	26	0156	1.59	11	0253	1.23	26	0309	1.32	11	0414	0.94	26	0346	1.06
SA	0712	2.80	SU	0824	2.65	TU	0923	3.09	WE	0928	2.92	FR	1026	3.33	SA	0959	3.14
	1343	1.41		1454	1.45		1542	0.99		1545	1.15		1638	0.76		1602	0.90
	1945	2.50		2058	2.40		2153	2.81		2149	2.73		2246	3.23		2219	3.21
12	0146	1.31	27	0245	1.45	12	0345	1.08	27	0341	1.21	12	0451	0.90	27	0420	0.96
SU	0823	2.95	MO	0912	2.80	WE	1008	3.27	TH	0959	3.06	SA	1100	3.32	SU	1032	3.19
	1450	1.22		1534	1.32		1626	0.84		1613	1.03		1711	0.78		1633	0.85
	2057	2.63		2136	2.53		2235	2.98		2219	2.89		2317	3.27		2251	3.31
13	0251	1.20	28	0325	1.33	13	0430	0.99	28	0413	1.12	13	0526	0.92	28	0455	0.91
MO	0925	3.11	TU	0948	2.93	TH	1048	3.38	FR	1030	3.17	SU	1130	3.25	MO	1106	3.19
	1546	1.04		1608	1.20		1706	0.75		1641	0.95		1741	0.87		1705	0.85
	2155	2.76		2209	2.64		2313	3.09		2250	3.02		2345	3.25		2324	3.34
14	0347	1.10	29	0359	1.25	14	0513	0.95	29	0445	1.06	14	0557	0.99	29	0530	0.91
TU	1016	3.26	WE	1021	3.05	FR	1125	3.40	SA	1101	3.22	MO	1159	3.13	TU	1139	3.13
	1636	0.91		1639	1.11		1743	0.75		1709	0.89		1806	0.99		1737	0.90
	2245	2.87		2241	2.75		2347	3.15		2321	3.12					2356	3.29
15	0438	1.04	30	0431	1.19	15	0551	0.98	30	0518	1.02	15	0013	3.19	30	0605	0.97
WE	1102	3.36	TH	1053	3.13	SA	1200	3.35	SU	1132	3.23	TU	0623	1.08	WE	1212	3.00
	1722	0.83		1709	1.05		1816	0.82		1737	0.88		1226	2.99		1809	1.01
	2329	2.95		2313	2.83					2351	3.18		1827	1.12			
			31	0504	1.16				31	0551	1.03						
			FR	1125	3.18				MO	1203	3.17						
				1738	1.00					1805	0.91						
				2345	2.91												

สูงของน้ำทำนายเป็นเมตรเหนือระดับน้ำลงต่ำที่สุด

HEIGHTS OF WATER PREDICTED IN METERS ABOVE THE LOWEST LOW WATER

คำนวณโดย กรมอุตุนิยมวิทยา กองทัพเรือ

อ่าวทับละมุ (พังงา)
Ao Thap Lamu (Phangnga)

ละติจูด (Lat) 08° 34' 32" น.(N)

ลองจิจูด (Long) 98° 13' 19" อ.(E)

พ.ศ.๒๕๖๘

YEAR 2026

ตุลาคม OCTOBER					พฤศจิกายน NOVEMBER					ธันวาคม DECEMBER				
เวลา	สูง (ม.)		เวลา	สูง (ม.)	เวลา	สูง (ม.)	เวลา	สูง (ม.)		เวลา	สูง (ม.)	เวลา	สูง (ม.)	
TIME	HT (m)		TIME	HT (m)	TIME	HT (m)	TIME	HT (m)		TIME	HT (m)	TIME	HT (m)	
1 TH	0030 3.17 0643 1.10 1246 2.82 1843 1.17		16 FR	0031 2.94 0643 1.29 1245 2.60 1837 1.40	1 SU	0151 2.80 0834 1.37 1432 2.37 2033 1.61	16 MO	0116 2.67 0748 1.45 1345 2.33 1945 1.64		1 TU	0245 2.73 0933 1.28 1543 2.47 2153 1.61	16 WE	0143 2.69 0810 1.29 1426 2.48 2020 1.56	
2 FR	0108 2.99 0725 1.27 1325 2.60 1920 1.37		17 SA	0100 2.76 0716 1.44 1315 2.42 1907 1.56	2 MO	0300 2.61 1001 1.46 1610 2.29 2222 1.71	17 TU	0200 2.53 0845 1.55 1454 2.25 2051 1.77		2 WE	0351 2.57 1040 1.35 1702 2.50 2320 1.62	17 TH	0228 2.56 0857 1.34 1523 2.47 2125 1.64	
3 SA	0154 2.77 0824 1.47 1418 2.36 2015 1.58		18 SU	0134 2.57 0805 1.61 1353 2.23 1954 1.73	3 TU	0433 2.52 1130 1.43 1803 2.41	18 WE	0310 2.40 1010 1.58 1640 2.27 2254 1.80		3 TH	0512 2.48 1145 1.37 1814 2.59	18 FR	0330 2.43 0959 1.39 1637 2.49 2308 1.63	
4 SU	0301 2.55 1007 1.60 1556 2.18 2225 1.73		19 MO	0225 2.38 0938 1.74 1532 2.07 2143 1.88	4 WE	0007 1.63 0610 2.58 1240 1.32 1909 2.62	19 TH	0446 2.36 1134 1.51 1815 2.43		4 FR	0040 1.54 0628 2.47 1245 1.36 1913 2.72	19 SA	0453 2.35 1120 1.39 1801 2.58	
5 MO	0459 2.46 1204 1.53 1840 2.28		20 TU	0437 2.27 1206 1.68 1853 2.20	5 TH	0118 1.46 0716 2.70 1332 1.20 1957 2.84	20 FR	0023 1.66 0616 2.44 1232 1.38 1910 2.66		5 SA	0142 1.40 0731 2.51 1339 1.32 2003 2.84	20 SU	0033 1.50 0625 2.36 1233 1.32 1914 2.73	
6 TU	0031 1.63 0652 2.61 1322 1.33 1947 2.55		21 WE	0031 1.78 0638 2.39 1304 1.52 1936 2.43	6 FR	0209 1.28 0808 2.81 1416 1.11 2037 3.02	21 SA	0121 1.46 0718 2.57 1321 1.24 1956 2.89		6 SU	0230 1.27 0825 2.56 1427 1.27 2047 2.94	21 MO	0142 1.31 0739 2.46 1337 1.22 2015 2.91	
7 WE	0144 1.42 0755 2.83 1413 1.12 2031 2.82		22 TH	0127 1.60 0730 2.57 1342 1.34 2007 2.68	7 SA	0251 1.14 0851 2.88 1456 1.06 2114 3.14	22 SU	0210 1.25 0810 2.71 1408 1.11 2040 3.09		7 MO	0312 1.15 0910 2.61 1509 1.22 2127 3.00	22 TU	0240 1.11 0841 2.58 1437 1.10 2109 3.07	
8 TH	0232 1.21 0842 3.01 1453 0.97 2109 3.05		23 FR	0206 1.40 0810 2.75 1415 1.17 2039 2.92	8 SU	0329 1.04 0930 2.91 1532 1.05 2146 3.20	23 MO	0255 1.06 0858 2.83 1454 1.01 2122 3.24		8 TU	0349 1.07 0948 2.65 1547 1.18 2202 3.04	23 WE	0332 0.93 0936 2.69 1533 1.00 2200 3.20	
9 FR	0314 1.05 0921 3.13 1530 0.89 2144 3.20		24 SA	0243 1.20 0848 2.91 1448 1.03 2113 3.14	9 MO	0404 0.98 1004 2.90 1606 1.06 2217 3.21	24 TU	0339 0.91 0944 2.90 1540 0.94 2205 3.32		9 WE	0423 1.03 1022 2.67 1621 1.15 2234 3.05	24 TH	0420 0.79 1028 2.78 1625 0.93 2246 3.28	
10 SA	0351 0.95 0958 3.17 1604 0.87 2215 3.28		25 SU	0319 1.03 0926 3.02 1524 0.93 2147 3.30	10 TU	0436 0.98 1035 2.87 1636 1.09 2246 3.18	25 WE	0423 0.82 1028 2.92 1626 0.92 2247 3.35		10 TH	0454 1.02 1053 2.67 1652 1.15 2304 3.04	25 FR	0508 0.71 1115 2.84 1714 0.91 2330 3.31	
11 SU	0426 0.92 1030 3.15 1636 0.91 2245 3.30		26 MO	0356 0.91 1004 3.08 1600 0.87 2224 3.38	11 WE	0505 1.01 1103 2.82 1702 1.14 2314 3.12	26 TH	0508 0.79 1113 2.90 1712 0.96 2330 3.31		11 FR	0524 1.03 1124 2.66 1721 1.17 2334 3.01	26 SA	0554 0.68 1201 2.86 1800 0.94	
12 MO	0458 0.93 1100 3.08 1704 0.98 2312 3.27		27 TU	0434 0.84 1042 3.08 1639 0.88 2300 3.39	12 TH	0531 1.06 1130 2.76 1728 1.19 2342 3.04	27 FR	0555 0.83 1158 2.83 1759 1.04		12 SA	0553 1.06 1156 2.63 1751 1.21	27 SU	0014 3.28 0640 0.72 1246 2.84 1845 1.03	
13 TU	0527 0.98 1128 2.99 1729 1.07 2338 3.19		28 WE	0515 0.84 1119 3.02 1717 0.94 2337 3.33	13 FR	0559 1.14 1200 2.67 1755 1.27	28 SA	0015 3.22 0643 0.91 1246 2.73 1845 1.18		13 SU	0005 2.96 0624 1.11 1228 2.59 1822 1.28	28 MO	0056 3.18 0725 0.81 1330 2.80 1931 1.16	
14 WE	0552 1.06 1153 2.88 1750 1.17		29 TH	0556 0.91 1159 2.90 1758 1.05	14 SA	0011 2.94 0629 1.23 1230 2.57 1825 1.37	29 SU	0100 3.08 0733 1.03 1337 2.62 1936 1.34		14 MO	0035 2.89 0656 1.16 1302 2.55 1855 1.37	29 TU	0137 3.02 0808 0.94 1415 2.74 2017 1.30	
15 TH	0004 3.08 0615 1.16 1219 2.75 1812 1.27		30 FR	0016 3.19 0640 1.04 1240 2.74 1839 1.22	15 SU	0042 2.81 0704 1.34 1303 2.45 1900 1.50	30 MO	0150 2.91 0830 1.17 1435 2.52 2035 1.50		15 TU	0107 2.80 0730 1.22 1341 2.51 1933 1.47	30 WE	0219 2.82 0852 1.11 1500 2.65 2110 1.45	
			31 SA	0100 3.00 0730 1.20 1329 2.54 1928 1.42								31 TH	0305 2.60 0938 1.28 1553 2.57 2215 1.57	

สูงของน้ำทำนายเป็นเมตรเหนือระดับน้ำลงต่ำที่สุด

HEIGHTS OF WATER PREDICTED IN METERS ABOVE THE LOWEST LOW WATER

คำนวณโดย กรมอุตุนิยมวิทยา กองทัพเรือ